

Package: resampleddata (via r-universe)

September 4, 2024

Type Package

Title Data Sets for Mathematical Statistics with Resampling in R

Version 0.3.1.9000

Suggests resample (>= 0.4)

Maintainer Albert Y. Kim <albert.y.s.kim@gmail.com>

Description Package of data sets from ``Mathematical Statistics with Resampling in R'' (1st Ed. 2011, 2nd Ed. 2018) by Laura Chihara and Tim Hesterberg.

Depends R (>= 2.10)

License CC0

LazyData TRUE

RoxygenNote 6.1.1

URL <https://github.com/rudeboybert/resampleddata>

BugReports <https://github.com/rudeboybert/resampleddata/issues>

Repository <https://rudeboybert.r-universe.dev>

RemoteUrl <https://github.com/rudeboybert/resampleddata>

RemoteRef HEAD

RemoteSha 24197e91921c1036412517a4c1e13d28d5337ab1

Contents

Alelager	3
Bangladesh	3
Batters2005	4
Beerwings	4
BookPrices	5
Bushmeat	5
Bushmeat2	6
Cameras	6
Cereals	7

Challenger	7
ChiMarathonMen	8
corrExerciseA	8
corrExerciseB	9
Cuckoos	9
Diving2017	10
Fatalities	10
FishMercury	11
FlightDelays	11
Girls2004	12
Groceries	12
GSS2002	13
GSS2006	13
IceCream	14
ILBoys	14
Illiteracy	15
Lottery	15
manatees	16
MathAnxiety	16
Maunaloa	17
MnGroundwater	17
MobileAds	18
Nasdaq	18
NBA1617	19
NCBirths2004	19
Olympics2012	20
Phillies2009	20
Pitchers2005	21
Quakes	21
Quetzal	22
RangersTwins2016	22
Reading	23
Recidivism	23
resampleddata	24
Salaries	24
Sat2008	25
Service	25
Skateboard	26
Skating2010	26
Spruce	27
Starcraft	27
Titanic	28
Turbine	28
TV	29
TXBirths2004	29
Verizon	30
Volleyball2009	30
wafers	31

<i>Alelager</i>	3
Walleye	31
Watertable	32
Index	33

Alelager	<i>Calories and alcohol content for ales and lagers.</i>
----------	--

Description

A data set containing X. The variables are as follows:

Usage

Alelager

Format

A data frame with X rows and Y variables:

-

Bangladesh	<i>Bangladesh</i>
------------	-------------------

Description

The Bangladesh data is provided solely for illustrative purposes and to enable statistical analysis. Full data are available from the British Geological Survey web site: <http://www.bgs.ac.uk/arsenic/bphase2/datadownload.htm>.

Usage

Bangladesh

Format

A data frame with X rows and Y variables:

-

Details

A data set containing X. The variables are as follows:

Batters2005

Batters2005

Description

A data set containing X. The variables are as follows:

Usage

Batters2005

Format

A data frame with X rows and Y variables:

-

Beerwings

Beer and hot wings consumption.

Description

A data set containing X. The variables are as follows:

Usage

Beerwings

Format

A data frame with X rows and Y variables:

-

BookPrices	<i>Price of hardcover textbooks from mathematics and the natural sciences and the social sciences.</i>
------------	--

Description

A data set containing X. The variables are as follows:

Usage

BookPrices

Format

A data frame with X rows and Y variables:

-

Bushmeat	<i>Bushmeat in Ghana.</i>
----------	---------------------------

Description

A data set containing X. The variables are as follows:

Usage

Bushmeat

Format

A data frame with X rows and Y variables:

-

Bushmeat2

Bushmeat in Ghana.

Description

A data set containing X. The variables are as follows:

Usage

Bushmeat2

Format

A data frame with X rows and Y variables:

-

Cameras

Prices of a sample of point-and-shoot digital cameras.

Description

A data set containing X. The variables are as follows:

Usage

Cameras

Format

A data frame with X rows and Y variables:

-

Cereals	<i>Information on various cereals.</i>
---------	--

Description

A data set containing X. The variables are as follows:

Usage

Cereals

Format

A data frame with X rows and Y variables:

-

Challenger	<i>Data on 23 Challenger flights.</i>
------------	---------------------------------------

Description

A data set containing X. The variables are as follows:

Usage

Challenger

Format

A data frame with X rows and Y variables:

-

ChiMarathonMen	<i>Data on Marathon times.</i>
----------------	--------------------------------

Description

A data set containing X. The variables are as follows:

Usage

ChiMarathonMen

Format

A data frame with X rows and Y variables:

-

corrExerciseA	<i>Correlation Exercise A p.294</i>
---------------	-------------------------------------

Description

A data set containing X. The variables are as follows:

Usage

corrExerciseA

Format

A data frame with X rows and Y variables:

-

`corrExerciseB`*Correlation Exercise B p.294*

Description

A data set containing X. The variables are as follows:

Usage`corrExerciseB`**Format**

A data frame with X rows and Y variables:

-

`Cuckoos`*Cuckoos*

Description

A data set containing X. The variables are as follows:

Usage`Cuckoos`**Format**

A data frame with X rows and Y variables:

-

Diving2017	<i>Diving times in 2017</i>
------------	-----------------------------

Description

A data set containing X. The variables are as follows:

Usage

Diving2017

Format

A data frame with X rows and Y variables:

-

Fatalities	<i>Random sample of 100 driver fatalities in 2009 in Pennsylvania.</i>
------------	--

Description

A data set containing X. The variables are as follows:

Usage

Fatalities

Format

A data frame with X rows and Y variables:

-

FishMercury	<i>Mercury levels (parts per million) for 30 fish caught in lakes in Minnesota.</i>
-------------	---

Description

A data set containing X. The variables are as follows:

Usage

FishMercury

Format

A data frame with X rows and Y variables:

-

FlightDelays	<i>Information on 4029 United and American airlines departures from LGA during May and June 2009.</i>
--------------	---

Description

A data set containing X. The variables are as follows:

Usage

FlightDelays

Format

A data frame with X rows and Y variables:

-

Girls2004	<i>Random sample of 40 baby girls born in Alaska and 40 baby girls born in Wyoming.</i>
-----------	---

Description

A data set containing X. The variables are as follows:

Usage

Girls2004

Format

A data frame with X rows and Y variables:

-

Groceries	<i>Groceries.</i>
-----------	-------------------

Description

A data set containing X. The variables are as follows:

Usage

Groceries

Format

A data frame with X rows and Y variables:

-

GSS2002

Results from 2002 General Society Survey.

Description

A data set containing X. The variables are as follows:

Usage

GSS2002

Format

A data frame with X rows and Y variables:

-

GSS2006

Results from 2006 General Society Survey.

Description

A data set containing X. The variables are as follows:

Usage

GSS2006

Format

A data frame with X rows and Y variables:

-

IceCream	<i>Calorie information for a sample of brands of chocolate and vanilla ice cream.</i>
----------	---

Description

A data set containing X. The variables are as follows:

Usage

IceCream

Format

A data frame with X rows and Y variables:

-

ILBoys	<i>IL Boys</i>
--------	----------------

Description

A data set containing X. The variables are as follows:

Usage

ILBoys

Format

A data frame with X rows and Y variables:

-

Illiteracy	<i>Data on a sample of countries where female illiteracy is more than 5 percent.</i>
------------	--

Description

A data set containing X. The variables are as follows:

Usage

Illiteracy

Format

A data frame with X rows and Y variables:

-

Lottery	<i>Winning numbers for the daily games from May 5, 2010 through August 15, 2010.</i>
---------	--

Description

A data set containing X. The variables are as follows:

Usage

Lottery

Format

A data frame with X rows and Y variables:

-

manatees

manatees

Description

A data set containing X. The variables are as follows:

Usage

manatees

Format

A data frame with X rows and Y variables:

-

MathAnxiety

Math Anxiety

Description

A data set containing X. The variables are as follows:

Usage

MathAnxiety

Format

A data frame with X rows and Y variables:

-

Maunaloa	<i>Data on average CO2 levels (ppm) for the month of May from 1990 to 2010.</i>
----------	---

Description

A data set containing X. The variables are as follows:

Usage

Maunaloa

Format

A data frame with X rows and Y variables:

-

MnGroundwater	<i>Measurements on water quality of 895 randomly selected wells in Minnesota.</i>
---------------	---

Description

A data set containing X. The variables are as follows:

Usage

MnGroundwater

Format

A data frame with X rows and Y variables:

-

MobileAds

Mobile Ads.

Description

A data set containing X. The variables are as follows:

Usage

MobileAds

Format

A data frame with X rows and Y variables:

-

Nasdaq

NASDAQ Data.

Description

A data set containing X. The variables are as follows:

Usage

Nasdaq

Format

A data frame with X rows and Y variables:

-

NBA1617	<i>NBA 2016-2017 data.</i>
---------	----------------------------

Description

A data set containing X. The variables are as follows:

Usage

NBA1617

Format

A data frame with X rows and Y variables:

-

NCBirths2004	<i>Random sample of 1009 babies born in North Carolina during 2004.</i>
--------------	---

Description

A data set containing X. The variables are as follows:

Usage

NCBirths2004

Format

A data frame with X rows and Y variables:

-

Olympics2012	<i>2012 Olympics Data.</i>
--------------	----------------------------

Description

A data set containing X. The variables are as follows:

Usage

Olympics2012

Format

A data frame with X rows and Y variables:

-

Phillies2009	<i>Data from the 2009 season for the baseball team of the Philadelphia Phillies.</i>
--------------	--

Description

A data set containing X. The variables are as follows:

Usage

Phillies2009

Format

A data frame with X rows and Y variables:

-

Pitchers2005

Pitchers2005

Description

A data set containing X. The variables are as follows:

Usage

Pitchers2005

Format

A data frame with X rows and Y variables:

-

Quakes

Time between earthquakes (in days).

Description

A data set containing X. The variables are as follows:

Usage

Quakes

Format

A data frame with X rows and Y variables:

-

Quetzal

Quetzal.

Description

A data set containing X. The variables are as follows:

Usage

Quetzal

Format

A data frame with X rows and Y variables:

-

RangersTwins2016

Rangers/Twins 2016 Baseball Data.

Description

A data set containing X. The variables are as follows:

Usage

RangersTwins2016

Format

A data frame with X rows and Y variables:

-

Reading	<i>Children's reading abilities.</i>
---------	--------------------------------------

Description

A data set containing X. The variables are as follows:

Usage

Reading

Format

A data frame with X rows and Y variables:

-

Recidivism	<i>Recidivism data.</i>
------------	-------------------------

Description

A data set containing X. The variables are as follows:

Usage

Recidivism

Format

A data frame with X rows and Y variables:

-

resampledata	<i>resampledata: Data Sets for Mathematical Statistics with Resampling in R</i>
--------------	---

Description

Package of data sets from "Mathematical Statistics with Resampling in R" (1st Ed. 2011, 2nd Ed. 2018) by Laura Chihara and Tim Hesterberg. Note the [Bangladesh](#) data is provided solely for illustrative purposes and to enable statistical analysis. Full data are available from the British Geological Survey web site <http://www.bgs.ac.uk/arsenic/bangladesh/>.

Data sets

Type `data(package="resampledata")` to view all datasets.

References

Hesterberg, Tim (2014), What Teachers Should Know about the Bootstrap: Resampling in the Undergraduate Statistics Curriculum, <http://arxiv.org/abs/1411.5279>.

Chihara, Laura M., Hesterberg, Tim C. (1st Ed. 2011, 2nd Ed. 2018). Mathematical Statistics with Resampling and R. Hoboken, NJ: John Wiley & Sons.

Examples

```
library(resampledata)
data(FlightDelays)
```

Salaries	<i>Salaries</i>
----------	-----------------

Description

A data set containing X. The variables are as follows:

Usage

Salaries

Format

A data frame with X rows and Y variables:

-

Sat2008	<i>Sat2008</i>
---------	----------------

Description

A data set containing X. The variables are as follows:

Usage

Sat2008

Format

A data frame with X rows and Y variables:

-

Service	<i>Service times (in minutes) for 174 customers at a college snack bar.</i>
---------	---

Description

A data set containing X. The variables are as follows:

Usage

Service

Format

A data frame with X rows and Y variables:

-

Skateboard	<i>Skateboarding data</i>
------------	---------------------------

Description

A data set containing X. The variables are as follows:

Usage

Skateboard

Format

A data frame with X rows and Y variables:

-

Skating2010	<i>Scores from the short program and free skate for men's figure skating in the 2010 Olympics.</i>
-------------	--

Description

A data set containing X. The variables are as follows:

Usage

Skating2010

Format

A data frame with X rows and Y variables:

-

Spruce	<i>Study of factors affecting the growth of the black spruce.</i>
--------	---

Description

A data set containing X. The variables are as follows:

Usage

Spruce

Format

A data frame with X rows and Y variables:

-

Starcraft	<i>Starcraft</i>
-----------	------------------

Description

A data set containing X. The variables are as follows:

Usage

Starcraft

Format

A data frame with X rows and Y variables:

-

Titanic	<i>Data on male passengers on the Titanic.</i>
---------	--

Description

A data set containing X. The variables are as follows:

Usage

Titanic

Format

A data frame with X rows and Y variables:

-

Turbine	<i>Wind Speeds (m/s) from Carleton College Turbine.</i>
---------	---

Description

A data set containing X. The variables are as follows:

Usage

Turbine

Format

A data frame with X rows and Y variables:

-

TV

TV

Description

A data set containing X. The variables are as follows:

Usage

TV

Format

A data frame with X rows and Y variables:

-

TXBirths2004

Random sample of 1587 babies born in Texas in 2004.

Description

A data set containing X. The variables are as follows:

Usage

TXBirths2004

Format

A data frame with X rows and Y variables:

-

Verizon	<i>Random sample of repair times for 1664 ILEC and 23 CLEC customers.</i>
---------	---

Description

A data set containing X. The variables are as follows:

Usage

Verizon

Format

A data frame with X rows and Y variables:

-

Volleyball12009	<i>Volleyball2009</i>
-----------------	-----------------------

Description

A data set containing X. The variables are as follows:

Usage

Volleyball12009

Format

A data frame with X rows and Y variables:

-

wafers	<i>Wafers</i>
--------	---------------

Description

A data set containing X. The variables are as follows:

Usage

wafers

Format

A data frame with X rows and Y variables:

-

Walleye	<i>Length and weight measurements for a sample of 60 walleye caught in Minnesota lakes.</i>
---------	---

Description

A data set containing X. The variables are as follows:

Usage

Walleye

Format

A data frame with X rows and Y variables:

-

Watertable	<i>Relationship between seedling growth and water table depth for a sample of seedlings.</i>
------------	--

Description

A data set containing X. The variables are as follows:

Usage

Watertable

Format

A data frame with X rows and Y variables:

-

Index

* datasets

Alelager, 3
Bangladesh, 3
Batters2005, 4
Beerwings, 4
BookPrices, 5
Bushmeat, 5
Bushmeat2, 6
Cameras, 6
Cereals, 7
Challenger, 7
ChiMarathonMen, 8
corrExerciseA, 8
corrExerciseB, 9
Cuckoos, 9
Diving2017, 10
Fatalities, 10
FishMercury, 11
FlightDelays, 11
Girls2004, 12
Groceries, 12
GSS2002, 13
GSS2006, 13
IceCream, 14
ILBoys, 14
Illiteracy, 15
Lottery, 15
manatees, 16
MathAnxiety, 16
Maunaloa, 17
MnGroundwater, 17
MobileAds, 18
Nasdaq, 18
NBA1617, 19
NCBirths2004, 19
Olympics2012, 20
Phillies2009, 20
Pitchers2005, 21
Quakes, 21

Quetzal, 22
RangersTwins2016, 22
Reading, 23
Recidivism, 23
Salaries, 24
Sat2008, 25
Service, 25
Skateboard, 26
Skating2010, 26
Spruce, 27
Starcraft, 27
Titanic, 28
Turbine, 28
TV, 29
TXBirths2004, 29
Verizon, 30
Volleyball2009, 30
wafers, 31
Walleye, 31
Watertable, 32

Alelager, 3

Bangladesh, 3, 24
Batters2005, 4
Beerwings, 4
BookPrices, 5
Bushmeat, 5
Bushmeat2, 6

Cameras, 6
Cereals, 7
Challenger, 7
ChiMarathonMen, 8
corrExerciseA, 8
corrExerciseB, 9
Cuckoos, 9

Diving2017, 10

Fatalities, 10

FishMercury, [11](#)
FlightDelays, [11](#)

Girls2004, [12](#)
Groceries, [12](#)
GSS2002, [13](#)
GSS2006, [13](#)

IceCream, [14](#)
ILBoys, [14](#)
Illiteracy, [15](#)

Lottery, [15](#)

manatees, [16](#)
MathAnxiety, [16](#)
Maunaloa, [17](#)
MnGroundwater, [17](#)
MobileAds, [18](#)

Nasdaq, [18](#)
NBA1617, [19](#)
NCBirths2004, [19](#)

Olympics2012, [20](#)

Phillies2009, [20](#)
Pitchers2005, [21](#)

Quakes, [21](#)
Quetzal, [22](#)

RangersTwins2016, [22](#)
Reading, [23](#)
Recidivism, [23](#)
resampleddata, [24](#)
resampleddata-package (resampleddata), [24](#)

Salaries, [24](#)
Sat2008, [25](#)
Service, [25](#)
Skateboard, [26](#)
Skating2010, [26](#)
Spruce, [27](#)
Starcraft, [27](#)

Titanic, [28](#)
Turbine, [28](#)
TV, [29](#)
TXBirths2004, [29](#)

Verizon, [30](#)
Volleyball2009, [30](#)

wafers, [31](#)
Walleye, [31](#)
Watertable, [32](#)